



• Heart disease is the no. 2 killer in NC\*

- Stroke is the no. 5 killer in NC\*
- 5,098 in NC died of stroke in 2017\*

Adults who are current smokers

Adults who participate in 150+ min of aerobic physical activity per week

Adults who are overweight or obese+

Adults who have been told that they have had a heart attack

Adults who have been told that they have had a stroke

• 18,808 people in NC died of heart disease in 2017\*

Adults who have been told that they have angina or coronary heart disease

Population of adults (18-64) who have some kind of health care coverage

High school Students who are obese++

Percentage of population covered by Medicaid/Chip+++

Based on total number of deaths in 2017. Centers for Disease Control and Prevention. WISQARS Leading Cause of Death Reports, 2017.

<sup>^</sup> Also known as COPD (Chronic Obstructive Pulmonary Disorder): COPD and allied conditions (including asthma); the term in the ICD/10 is "chronic lower respiratory

diseases."
\*\* List includes Puerto Rico and D.C. Based on 2014-2016 age-adjusted death rates. American Heart Association. Heart Disease and Stroke Statistics: 2019 Update. A Report from the American Heart Association. Circulation. \*\*\*Centers for Disease Control and Prevention. Behavioral Risk Factor Surveillance System Survey, 2017.

<sup>+</sup> Overweight is defined as having a body mass index (BMI) of 25.0-29.9. Obese is defined as having a body mass index of 30.0 or more. ++ Students who were 95th percentile for body mass index, by age and sex. Centers for Disease Control and Prevention, Youth Risk Behavior Surveillance System, 2017 +++ Kaiser Family Foundation US and State Medicaid Fact Sheets, 2016