

1 Key Best Practice Strategies

PHASE II

Target: Stroke advocates the adoption of these 12 key best practice strategies for reducing door-to-needle times for intravenous alteplase in acute ischemic stroke.

1. 7? E BdV@afXUSf[a` & Nfshfodz

.FEJDBM 4FSWJDF &.4 QSPWJEFST TIPVME QSPWJEF
FBSMZ QSF OPUJGJDBUJPO UP UIF QSPWJEFST TIPVME QSPWJEF
TUSPLF JT SFDPHOJ[FE JO UIF GJFM QSPWJEFST TIPVME QSPWJEF
PG IPTQJUBMT DBO TJHOJGJDBOUM QSPWJEFST TIPVME QSPWJEF
JNBHJOH SFEVDF EPPS UP OFFEMFUUBN QSPWJEFST TIPVME QSPWJEF
BMUFQMBTF BOE FOIBODJOH UIF QSPWJEFST TIPVME QSPWJEF
QBUJFOUT USFBUFE QSPWJEFST TIPVME QSPWJEF

2. Efd]WFaa`e " 4USPLFMLJU DPOUBJOJOH

QSPUPDPM DMJOJDBM EFDJTJPO TVOQPSUJPO DSJJUESJB TIPVME CF .
PSEFS TFUT HVJEFMJOFT IPTQJUBM QBUJFOUT SFPLF JOHFNFSHFODZ
DSJUJDBM QBUIXBZT /*) 4USPLF 4DBMFS BOE PUIFS TUSPLF
UPPMT TIPVME CF BWBJMBCMF BOE VUJMJ[FE GPS FBDI QBUJFOU

3. DSb[VFc[SYMBcfaUa^S` V Efd] WfV\$ _

@afXUSf[a` "DVUF USJBHF QSPUPDPM GBDJMJUBUF UIF
UJNFMZ SFDPHOJUJPO PG TUSPLF BOE SFEWDFMZJNFQUE BTTFTTNFOU
USFBUNDFOU TUSPLF UFBNT FOIBODJFMUSPLF QBOFFOU SFNBOT PO U
BOE TIPVME CF BDUJWBUFE BT TPPOVSTUZFSEFOJCHPTSFUBNFE UP FC
QSF OPUJGJDBUJPO GSPN &.4 QFSTPOTQJMBUP SZTUSPCFMJUZ BOE UP
QBUJFOU PS UIF TUSPLF QBUJFOU FNFSHFODZ JEFEBHOPTFT GPMMPXFE
FNFSHFODZ EFOBSJEN DQVSWBMMBDJPOBOOFS
TIPVME CF QFSGPSNFE BT TPPO BT QPTTJCMF JO &% PS PO
UIF \$5 UBCMF

4. E[YW5S^3Uf]hsf[a` EkefW " TJOHMF

DBMM TIPVME BDUJWBUF UTR FHOWB \$P T U \$P \$ JUBNBM \$5 JOUFSQSFU
DBMM BDUJWBUJPO TZTUFN GPS UIBOTUSPLF SWBONHJBEVSOOFE JNBHJ
IFSF BT B TZTUFN JO XFOOZUIF FNFSOMZ "U UIF NJOJNVN UIF \$5 TDE
EFQBSUNFOU DBMMT B DFOUSBM QDHS PPSNBEPSUXJIB UINQOOUFT PG
TJNVMBOFVMTZ QBHFT UIF FOUJSTUSQSFUBUBNO PG UIF \$5 TDBO
JODMVEJOH OPUJGJDBUJPO UP FOTVSSJWBONJEBWBDMBE#MUJUSBO SBO
UIF TDBOFS GPS TUSPLF QSPUPDPM NCBJTUSNBHFOHPG JOUSBWFOPV

5. F[_WladUaU] SffSUZW fa UZScf U]b TaScV ad

bSf]WfTWfz "DVUF JTDIFNJD TUSPLF D
BDDVSBUF UJNFMZ DPPSEJOBUFFE
FWBMVBUJPO PG UIF QBUJFOU " V
UIF IFBMUIDBSF QSPWJEFST JT BO
JNQSPWJOH UIF RVBMJUJZ PG DBSF

7. DSb[V 3Ucg]eff[a` S` V ;` fVbdWsf[a` aX4dS[

;_SY[Y, *U JT FTTFOUJBM UP JOJUJB
.3* BT TPPO BT QPTTJCMF BGUFS

